Page 1, prior to line 3, insert heading and subheading

80

--BACKGROUND OF THE INVENTION

FIELD OF THE INVENTION --

Page 1, line 9, delete "BACKGROUND OF THE INVENTION" and insert -- DESCRIPTION OF THE RELATED ART--.

Page 3, line 35, delete "DESCRIPTION OF THE INVENTION", and insert -- SUMMARY OF THE INVENTION--.

Page 4, prior to line 28, insert the heading -- DESCRIPTION OF THE PREFERRED EMBODIMENTS--.

In the Claims

Please amend claims 1-12 and add new claim 13 as follows:

1. (Amended) A method of prolonging a local effect of a pharmaceutically or cosmetically active substance when such substance is used in a topical cream or lotion, the method comprising:

- a. providing an oil-in-water emulsion carrier including an oily non-polar lipid material an aqueous phase and a galactolipid material as an emulsifier;
- b. adding a pharmaceutically or cosmetically active substance to the carrier to form a formulation for a topical cream or lotion; and
- c. wherein the galactolipid material is present in the formulation for a topical cream or lotion in an amount to prolong

Sub Lost.

a local effect of the active substance when the topical cream or lotion is topically applied.

- 2. (Amended) The method according to claim 1, wherein 0.1-50% by weight of oily material and 0.5-20% by weight of emulsifier are provided in the formulation.
- 3. (Amended) The method according to claim 1, wherein 1-40% by weight of oily material and 0.5-10% by weight of emulsifier are provided in the formulation.
- 4. (Amended) The method according to claim 1, including providing the galactolipid material so as to consist of at least 50% by weight of digalactosyl-diacylglycerols and a remainder of non-digalactosyldiacylglycerol polar lipids, and adding the galactolipid material so as to constitute an amount of 1.0-5.0% by weight of the formulation.
- 5. (Amended) The method according to claim 1, including providing the galactolipid material so as to consist of 50-70% by weight of digalactosyldiacylglycerols and 30-50% by weight of non-digalactosyldiacylglycerol polar lipids.
- 6. (Amended) The method according to claim 1, including providing the galactolipid material as a fractionated oat all

Z,

BY

which consists of at least 15% by weight of digalactosyldiacylglycerols and a remainder of non-digalactosyldiacylglycerol polar and non-polar lipids, and adding the galactolipid material so as to constitute an amount of 2.0-10% by weight of the formulation.

Sub Fi

7. (Amended) The method according to claim 6, including providing the galactolipid material as a fractionated oat oil which contains 40-60% by weight polar lipids and a remainder of non-polar lipids.

By

8. (Amended) The method according to claim 1 wherein the oil-in-water emulsion is formed as a cream base by providing in % by weight;

Oily non-polar lipid		10.0-30.0%
Galactolipid emulsifier		0.5-5%
Thickner		2.0-10.0%
Preservative		0.1-1.0%
Water	ad 1,00%	

- 9. (Amended) The method according to claim 1 including incorporating a moisturizer as the active substance.
- 10. (Amended) The method according to claim 1 including adding an active substance for use in treatment of atopic

dermatitis.

- 11. (Amended) The method according to claim 1 including incorporating a corticosteroid as the active substance, for treatment of skin inflammation.
- 12. (Amended) The method according to claim 1 including incorporating 13-hydroxy-linoleic acid as the active substance.

Please add new claim 13 as follows:

--13. The method of claim 9 including adding glycerol as the moisturizer.--

Attached to this response is a copy of the claims showing the amendments in bracketing and underlining. The attached amended claims are for the Examiner's convenience only. Also attached is a copy of several pages of additional specification showing the amendments to the specification.

REMARKS

This application has been carefully considered in light of the initial office action of October 3, 2001. As a result, a new Abstract of the Disclosure has been submitted and amendments have